

Scgb1a1-IRES-CreERT2

系統名	C57BL/6Smoc- <i>Scgb1a1</i> ^{em1(IRES-CreERT2)Smoc}
SMOC番号	NM-KI-200129
維持形態	Repository Live

遺伝子の概要

Gene Symbol Scgb1a1	Synonyms	UG; UGB; Utg; CC10; CC16; CCSP; PCB-BP
	NCBI ID	22287
	MGI ID	98919
	Ensembl ID	ENSMUSG00000024653
	Human Ortholog	SCGB1A1

説明

A IRES-CreERT2 expression cassette was knocked into the Scgb1a1 gene stop codon site.

応用分野: These mice express creERT2 recombinase from the Scgb1a1 locus (secretoglobin). This strain may useful for in the research of bronchiolar non-ciliated Clara cells.

*Literature published using this strain should indicate: Scgb1a1-IRES-CreERT2 mice (Cat. NO. NM-KI-200129) were purchased from Shanghai Model Organisms Center, Inc..

表現型データ




Fig.1 CreERT2-mediated recombination in the lung of Scgb1a1CreERT2/+; Rosa26tdTomato/+ mouse. TdTomato(red) expression can be detected in the bronchial and alveolar cells of Scgb1a1CreERT2/+; Rosa26tdTomato/+ mouse after tamoxifen treatment.




Fig. 2 Detection of tdTomato(red) in various tissues of Scgb1a1CreERT2/+; Rosa26tdTomato/+ mice. CreERT2 mediated recombination can be detected in the bronchial and alveolar cells after tamoxifen treatment. TdTomato expression can not be observed in the brain, pituitary gland, heart, liver, spleen, kidney, thymus, stomach, intestine, colon, submandibular gland, ovary, uterus, skin, muscle and brown fat. (For more detailed information please contact our technical

advisor.)
